

Garage Range Specifications



OPTIONS	EVERYDAY RANGE (1000 Series)	SELECT RANGE (600 Series)
Length (min)	3.0m	2.4m
Length (max)	12.0m	No maximum (braced walls required)
Width (min)	3.0m	2.4m
Width (max)	9.0m	12.0m
Stud spacing	1000mm centres	600mm centres
Stud height	2.1m, 2.4m	2.1m, 2.4m, 2.7m, 3.0m
Cladding types	Versaclad, Superclad™	Versaclad, Superclad™, Mastaclad™, Corrugate, 6-Rib
Superclad™ & Mastaclad™ colours	Ebony, FlaxPod®, Grey Friars, Gull Grey, Ironsand, Karaka, Mist Green, New Denim Blue, SandBar®, Sandstone Grey, Scoria, Titania, TuiTuft®	Ebony, FlaxPod®, Grey Friars, Gull Grey, Ironsand, Karaka, Mist Green, New Denim Blue, SandBar®, Sandstone Grey, Scoria, Titania, TuiTuft®
Versaclad colours	SandBar®, Sandstone Grey, Titania, Zincalume®	SandBar®, Sandstone Grey, Titania, Zincalume®
Roofing materials	6-Rib roofing, Corrugate	6-Rib roofing, Corrugate
Roof and trim colours	Ebony, FlaxPod®, Grey Friars, Gull Grey, Ironsand, Karaka, Mist Green, New Denim Blue, SandBar®, Sandstone Grey, Scoria, Titania, TuiTuft®, Zincalume®	Ebony, FlaxPod®, Grey Friars, Gull Grey, Ironsand, Karaka, Mist Green, New Denim Blue, SandBar®, Sandstone Grey, Scoria, Titania, TuiTuft®, Zincalume®
Partitions	N/A	Available
Truss spacing	2.0m centres as standard and 1.0m optional	1.8m centres as standard and 1.2m optional
Soffits	Front and/or rear	Front and/or rear
Side soffits	N/A	On 2.4m, 2.7m, 3.0m stud heights
Gable roof	15°	15°, 20°, 25° & 30°
Hip roof	N/A	Available

OPTIONS	EVERYDAY RANGE (1000 Series)	SELECT RANGE (600 Series)
Mono roof	N/A	4°, 8° & 10°
Gable cladding	Board and batten (15° roof pitch only and up to 9m wide). Versaclad or Superclad™ cladding up the gable	Board and batten (15° roof pitch only and up to 9m wide). Versaclad, Superclad™ or Mastaclad™ cladding up the gable
Standard window size	1 unit = 2 x 450mm wide @ 1m increments 2, 4 or 6 panes	550mm wide @ 0.6m increments
Aluminium windows	N/A	Various options available
Tilt door sizes	Width: 2.6m, 3.0m, 3.6m, 4.5m (4.5m side entry Tilt Doors only). Height: to full stud height	Width: 2.6m, 3.0m, 3.6m & 4.5m Height: as requested, initialise at full stud height. Tilt Doors up to & including 3.6m in width = 2650mm, over 3.6m up to and including 4.5m = 2350mm
Roller door widths	2.4m, 2.6m, 2.8m, 3.0m, 3.2m	2.4m, 2.6m, 2.8m, 3.0m, 3.2m
Sectional door widths	2.6m, 3.0m, 3.6m, 4.5m, 4.8m	2.6m, 3.0m, 3.6m, 4.5m, 4.8m
Sectional door profiles	Futura, Georgian, Somerset, Milano, Valero, Naturesteel chestnut, Sierra flat	Futura, Georgian, Somerset, Milano, Valero, Naturesteel chestnut, Sierra flat
Door colours	Tilt: Ebony, FlaxPod®, Grey Friars, Gull Grey, Ironsand, Karaka, Mist Green, New Denim Blue, SandBar®, Sandstone Grey, Scoria, Titania, TuiTuft®, Zincalume®	Sectional: Ebony, FlaxPod®, Grey Friars, Gull Grey, Ironsand, Karaka, Mist Green, New Denim Blue, SandBar®, Sandstone Grey, Scoria, Titania, TuiTuft®, Zincalume®
Side door (Open in or out)	900mm wide	900mm wide
Wind zones	Low, medium, high	Low, medium, high, very high, extra high
Downpipes	65mm white PVC downpipes 80mm COLORSTEEL® downpipes Upgrade 80mm PVC downpipes	65mm white PVC downpipes 80mm COLORSTEEL® downpipes Upgrade 80mm PVC downpipes
Verandah	N/A	600mm increments @ 1.5m wide
Decks	N/A	600mm increments @ 1.5m wide

OPTIONS	EVERYDAY RANGE (1000 Series)	SELECT RANGE (600 Series)
Garaports	3.0m, or 3.6m wide @ 1000mm increments long. Minimum 3m long Side wall only, from front or back of building	3.0m, or 3.6m wide @ 600mm increments long. Minimum 3m long
Workbench	1000mm increments @ 560mm deep, 950mm high	600mm increments @ 560mm deep, 950mm high
Timber treatment	H1.2 as standard. H3.2 bottom plate upgrade available	H1.2 as standard. H3.2 bottom plate upgrade available
Firewalls	Available	Available

OPTIONAL EXTRAS

Upgrade your garage with additional features to make it more attractive or functional.

- **Flooring** - traditional concrete 100mm thick floor slab with perimeter footings, expansion cuts, floor bolts and reinforcing as required.
- **Electrical** - Versatile can organise your trade service including electrical, drainlaying and landscaping requirements.
- **Fixed pane windows** - the standard fixed pane window is supplied with 4mm thick glass.
- **Auto door openers with remotes** - perfect for cold, wet evenings or when it's difficult to open the door on your own.
- **Garaport** - the side of your garage can be further extended with a Garaport addition. This provides open-sided protection for another vehicle.
- **Verandahs** - for added protection from weather and shade from the sun.
- **Aluminium joinery windows** - stylish, modern design that enhances natural light and improves ventilation.
- **Skylights** - let the natural light into your garage.
- **Workbench** - a strong, sturdy built-in work surface upon which to mount a vice or store tools.
- **Decking** - when combined with a verandah, a deck gives your building an attractive finish. Ramps and stairs are available.

CONSTRUCTION

By utilising the latest timber connections, bracing and pre-cut timber, we have simplified the construction process to enable you to do it yourself, without the need for heavy trade tools. A detailed manual is provided to ensure the step-by-step process is easy to follow.

Versatile's experienced builders are the professionals when it comes to construction. We can do as much, or as little as you want. We can handle everything for you from council paperwork, to the finishing touches like driveways and landscaping.

We also offer kitsets, which come complete in a self-contained pack, with instructions and all required fixings.